Google

Web   Images   Video^{New!}   News   Maps   more »

[computer rack design constraints relax "Hewl(]   **Search**   Advanced Search
Preferences

○ Search the Web   ◉ Search English pages

Web Results **1 - 10** of about **32 English** pages for **computer rack design constraints relax "Hewlett Packar(**

[PDF] Overview of clusters
File Format: PDF/Adobe Acrobat - View as HTML
relax knowing that your OpenVMS cluster system has the high
availability — or ... and StorageWorks(TM) components to fit your
computer room **constraints**. ...
h71000.www7.hp.com/openvms/products/clusters/clusters.pdf -
Similar pages

[PDF] Center for Circuits, Systems, Software
File Format: PDF/Adobe Acrobat
He was a member of the technical staff at **Hewlett-Packard**
Laboratories from 1974 to ... MEMS **design constraints**, and provides
important tools for rapid, ...
bwrc.eecs.berkeley.edu/Research/Contracts/MARCO/C2S2%
20Proposal.pdf - Similar pages

[PDF] The Status Line
File Format: PDF/Adobe Acrobat - View as HTML
prizes) will vary according to the **constraints** of the individual contest and the ... Infocom
interactive fiction titles for the **Hewlett Packard** 110/150, ...
infodoc.plover.net/nzt/NZT6.3.pdf - Similar pages

[PDF] Bulletin of the Technical Committee on March 2001 Vol. 24 No. 1 ...
File Format: PDF/Adobe Acrobat - View as HTML
(Sun Netras or **rack**-mountable Intel boxes) and the low cost of ... service execution (with
the limitations and **constraints** allowed by the service designer). ...
sites.**computer**.org/debull/A01MAR-CD.pdf - Similar pages

[PDF] A Cryogenic Neutron Radiometer for Absolute Neutron Fluence ...
File Format: PDF/Adobe Acrobat - View as HTML
We describe the measurement principle, **design**, operation, measurements of noise and ...
Electronics **rack**. Gas handling panel. Data acquisition **computer** ...
www.iucf.indiana.edu/Experiments/WEAK/papers/Radiometer20021126a.pdf -
Similar pages

[PDF] Myosin phosphorylation, force, and maximal shortening velocity in ...
File Format: PDF/Adobe Acrobat
design of and expert. consultation. concerning. the software. and hardware. that interfaced.
the. **computer**. and the electronic ...
ajpcell.physiology.org/cgi/reprint/249/3/C238.pdf - Similar pages

[PDF] A Transactional Approach to Redundant Disk Array Implementation
File Format: PDF/Adobe Acrobat
Many excellent texts, such as Reliable **Computer** Systems: **Design** and Evalua- ... ten
Hewlett-Packard 2247 disk drives were 8-bit single-ended (SE) SCSI 1 GB ...
reports-archive.adm.cs.cmu.edu/anon/1997/CMU-CS-97-141.pdf - Similar pages

[PDF] SOCIETY OF WOMEN ENGINEERS

File Format: PDF/Adobe Acrobat

Sierra Foothills Section received the **Hewlett-Packard** Innovation Award twice, during her
two terms as **...** and modified to meet **design** and money **constraints**. **...**
www.swe.org/SWE/Convention/den01/images/2001programbook.pdf - Similar pages

[PDF] Spring Contact Probe Technology in Product Connector Applications
File Format: PDF/Adobe Acrobat - View as HTML
Mechanical **Design** Limitations and. Considerations. Probes are typically designed within
certain mechani-. cal **constraints**. These **constraints** are determined **...**
www.synergetix.com/tech/downloads/PDF/SpringProbeBook.pdf - Similar pages

[PDF] Fermilab
File Format: PDF/Adobe Acrobat
detailing the specific **constraints** and specific **design** properties of the injector **...** puting
resources ran out, followed by **Hewlett Packard**'s High Frequency **...**
lss.fnal.gov/archive/thesis/fermilab-thesis-1997-03.pdf - Similar pages

Gooogle ▶

Result Page: 1 2 3   **Next**

computer rack design constraints re   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

Recent Searches

Add terms to your search using: |AND ▾|

6. author(Roy Shahoumain)
   Database: Dissertations & Theses
   Look for terms in: Citation and abstract
   Publication type: All publication types

   0 result ‖Add to Search‖
   Set Up Alert ⊠

5. author(Dirk Beyer)
   Database: Dissertations & Theses
   Look for terms in: Citation and abstract
   Publication type: All publication types

   1 result ‖Add to Search‖
   Set Up Alert ⊠

4. author(Alex Zhang)
   Database: Dissertations & Theses
   Look for terms in: Citation and abstract
   Publication type: All publication types

   1 result ‖Add to Search‖
   Set Up Alert ⊠

3. author(Alex Zhang)
   Database: Dissertations & Theses
   Look for terms in: Citation and abstract
   Publication type: All publication types

   1 result ‖Add to Search‖
   Set Up Alert ⊠

2. author(Dirk Beyer)
   Database: Dissertations & Theses
   Look for terms in: Citation and abstract
   Publication type: All publication types

   1 result ‖Add to Search‖
   Set Up Alert ⊠

1. author(Roy Shahoumain)
   Database: Dissertations & Theses
   Look for terms in: Citation and abstract
   Publication type: All publication types

   0 result ‖Add to Search‖
   Set Up Alert ⊠

IEEE *Xplore* ®
RELEASE 2.1

Welcome United States Patent and Trademark Office

☐ **Author Search**

BROWSE   **SEARCH**   **IEEE XPLORE GUIDE**

OPTION 1
Quick Find an Author:
Enter a name to locate articles written by that author.

| shahoumain | >> |

Example: Enter Lockett S to obtain a list of authors with the last
name Lockett and the first initial S.

OPTION 2
Browse alphabetically

Select a letter from the list.
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

No Authors found beginning with letter: shahoumain

Help   Contact Us   Privacy 8

Indexed by
Inspec

IEEE *Xplore* ⒸⓇ
RELEASE 2.1

Welcome United States Patent and Trademark Office

□ Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "(beyer d.<in>au)"
Your search matched **16** of **1396453** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

✉ e-mail

» **Search Options**

View Session History

New Search

Modify Search

(beyer d.<in>au) |Search|

□ Check to search only within this results set

Display Format: ◉ Citation   ○ Citation & Abstract

» **Key**

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

⌐|view selected items| **Select All Deselect All**

□   1. **Efficient relational calculation for software analysis**
Beyer, D.; Noack, A.; Lewerentz, C.;
Software Engineering, IEEE Transactions on
Volume 31, Issue 2, Feb. 2005 Page(s):137 - 149
Digital Object Identifier 10.1109/TSE.2005.23

AbstractPlus | Full Text: PDF(1144 KB)   IEEE JNL
Rights and Permissions

□   2. **Evolution Storyboards: Visualization of Software Structure Dynamics**
Beyer, D.; Hassan, A.E.;
Program Comprehension, 2006. ICPC 2006. 14th IEEE International Conferen
14-16 June 2006 Page(s):248 - 251
Digital Object Identifier 10.1109/ICPC.2006.21

AbstractPlus | Full Text: PDF(384 KB)   IEEE CNF
Rights and Permissions

□   3. **Generating tests from counterexamples**
Beyer, D.; Chlipala, A.J.; Henzinger, T.A.; Jhala, R.; Majumdar, R.;
Software Engineering, 2004. ICSE 2004. Proceedings. 26th International Confe
23-28 May 2004 Page(s):326 - 335

AbstractPlus | Full Text: PDF(406 KB)   IEEE CNF
Rights and Permissions

□   4. **Quartermaster - a resource utility system**
Singhal, S.; Arlitt, M.; Beyer, D.; Graupner, S.; Machiraju, V.; Pruyne, J.; Rolia,
Santos, C.; Ward, J.; Zhu, X.;
Integrated Network Management, 2005. IM 2005. 2005 9th IFIP/IEEE Internatic
on
15-19 May 2005 Page(s):265 - 278
Digital Object Identifier 10.1109/INM.2005.1440795

AbstractPlus | Full Text: PDF(360 KB)   IEEE CNF
Rights and Permissions

□   5. **Clustering software artifacts based on frequent common changes**
Beyer, D.; Noack, A.;
Program Comprehension, 2005. IWPC 2005. Proceedings. 13th International V
15-16 May 2005 Page(s):259 - 268
Digital Object Identifier 10.1109/WPC.2005.12

AbstractPlus | Full Text: PDF(296 KB)   IEEE CNF
Rights and Permissions

6. **Ubiquitous tracking for augmented reality**
Newman, J.; Wagner, M.; Bauer, M.; MacWilliams, A.; Pintaric, T.; Beyer, D.; F
Strasser, F.; Schmalstieg, D.; Klinker, G.;
Mixed and Augmented Reality, 2004. ISMAR 2004. Third IEEE and ACM Interi
Symposium on
2-5 Nov. 2004 Page(s):192 - 201
Digital Object Identifier 10.1109/ISMAR.2004.62

AbstractPlus | Full Text: PDF(328 KB)   IEEE CNF
Rights and Permissions

7. **An eclipse plug-in for model checking**
Beyer, D.; Henzinger, T.A.; Jhala, R.; Majumdar, R.;
Program Comprehension, 2004. Proceedings. 12th IEEE International Worksh
24-26 June 2004 Page(s):251 - 255
Digital Object Identifier 10.1109/WPC.2004.1311069

AbstractPlus | Full Text: PDF(318 KB)   IEEE CNF
Rights and Permissions

8. **Simple and efficient relational querying of software structures**
Beyer, D.; Noack, A.; Lewerentz, C.;
Reverse Engineering, 2003. WCRE 2003. Proceedings. 10th Working Confere
13-16 Nov. 2003 Page(s):216 - 225

AbstractPlus | Full Text: PDF(361 KB)   IEEE CNF
Rights and Permissions

9. **CrocoPat: efficient pattern analysis in object-oriented programs**
Beyer, D.; Lewerentz, C.;
Program Comprehension, 2003. 11th IEEE International Workshop on
10-11 May 2003 Page(s):294 - 295
Digital Object Identifier 10.1109/WPC.2003.1199220

AbstractPlus | Full Text: PDF(212 KB)   IEEE CNF
Rights and Permissions

10. **A packet radio API**
Beyer, D.A.; Lewis, M.G.;
MILCOM 97 Proceedings
Volume 3, 2-5 Nov. 1997 Page(s):1261 - 1265 vol.3
Digital Object Identifier 10.1109/MILCOM.1997.644970

AbstractPlus | Full Text: PDF(520 KB)   IEEE CNF
Rights and Permissions

11. **Wireless internet gateways (WINGs)**
Garcia-Luna-Aceves, J.J.; Fullmer, C.L.; Madruga, E.; Beyer, D.; Frivold, T.;
MILCOM 97 Proceedings
Volume 3, 2-5 Nov. 1997 Page(s):1271 - 1276 vol.3
Digital Object Identifier 10.1109/MILCOM.1997.644972

AbstractPlus | Full Text: PDF(704 KB)   IEEE CNF
Rights and Permissions

12. **A distributed protocol for reducing neighborhood size in radio networks**
Shacham, N.; Beyer, D.;
Communications, 1988. ICC 88. Digital Technology - Spanning the Universe. (
Record. IEEE International Conference on
12-15 June 1988 Page(s):458 - 462 vol.1
Digital Object Identifier 10.1109/ICC.1988.13608

AbstractPlus | Full Text: PDF(376 KB)   IEEE CNF
Rights and Permissions

13. **Neural network solution to the link scheduling problem using convex rel:**
Ogier, R.G.; Beyer, D.A.;
Global Telecommunications Conference, 1990, and Exhibition. 'Communicatio
the Future', GLOBECOM '90., IEEE
2-5 Dec. 1990 Page(s):1371 - 1376 vol.2
Digital Object Identifier 10.1109/GLOCOM.1990.116718

AbstractPlus | Full Text: PDF(552 KB)   IEEE CNF
Rights and Permissions

14. **Accomplishments of the DARPA SURAN Program**
Beyer, D.A.;
Military Communications Conference, 1990. MILCOM '90, Conference Record
1990 IEEE
30 Sept.-3 Oct. 1990 Page(s):855 - 862 vol.2
Digital Object Identifier 10.1109/MILCOM.1990.117536

AbstractPlus | Full Text: PDF(688 KB)   IEEE CNF
Rights and Permissions

15. **Tabu learning: a neural network search method for solving nonconvex o**
problems
Beyer, D.A.; Ogier, R.G.;
Neural Networks, 1991. 1991 IEEE International Joint Conference on
18-21 Nov. 1991 Page(s):953 - 961 vol.2
Digital Object Identifier 10.1109/IJCNN.1991.170523

AbstractPlus | Full Text: PDF(416 KB)   IEEE CNF
Rights and Permissions

16. **Tabu learning: a neural network search method for solving nonconvex o**
problems
Beyer, D.A.; Ogier, R.G.;
Neural Networks, 1991., IJCNN-91-Seattle International Joint Conference on
Volume ii, 8-14 July 1991 Page(s):991 vol.2
Digital Object Identifier 10.1109/IJCNN.1991.155656

AbstractPlus | Full Text: PDF(52 KB)   IEEE CNF
Rights and Permissions

Help   Contact Us   Privacy & :

IEEE *Xplore* ©
RELEASE 2.1

Welcome United States Patent and Trademark Office

☐ Search Results   BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "((zhang<and>(rack<near/2>components))<in>metadata)"   ✉ e-mail
Your search matched **0** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History   **Modify Search**

New Search   ((zhang<and>(rack<near/2>components))<in>metadata)   **Search**

                                        ☐ Check to search only within this results set

» Key   **Display Format:**   ⊙ Citation   ○ Citation & Abstract

IEEE JNL   IEEE Journal or
               Magazine

IEE JNL   IEE Journal or Magazine

IEEE CNF   IEEE Conference   **No results were found.**
               Proceeding
                                       Please edit your search criteria and try again. Refer to the Help pages if you need assistan
IEE CNF   IEE Conference   search.
               Proceeding

IEEE STD   IEEE Standard

                                                        Help   Contact Us   Privacy & :
Indexed by
ᵭ Inspec®   © Copyright 2006 IEEE –

Dial·g DataStar

| options | logoff | feedback | help |

databases   **easy search**

Advanced Search:

Inspec - 1898 to date (INZZ)

limit

Search history:

No.	Database	Search term	Info added since	Results	
1	INZZ	shahoumain-t$	unrestricted	0	-
2	INZZ	beyer-d$	unrestricted	76	show titles
3	INZZ	2 AND rack	unrestricted	0	-
4	INZZ	2 AND (model$3 OR simulation)	unrestricted	17	show titles
5	INZZ	zhang-a$	unrestricted	467	show titles
6	INZZ	5 AND (rack OR cabinet)	unrestricted	0	-
7	INZZ	5 AND hp.AS.	unrestricted	1	show titles
8	INZZ	5 AND (hewlett ADJ packard).AS.	unrestricted	0	-
9	INZZ	(hewlett ADJ packard).AS. AND (rack OR cabinet)	unrestricted	38	show titles
10	INZZ	9 AND design	unrestricted	13	show titles

hide | delete all search steps... | delete individual search steps...

Enter your search term(s): Search tips   ☐ Thesaurus mapping

| | whole document ▼ | 🛈

Information added since: [＿＿＿] or: [none ▼]
(YYYYMMDD)

search

☐ Documents with images

Select special search terms from the following list(s):
➡ Publication year 1950-
➡ Publication year 1898-1949
➡ Inspec thesaurus - browse headings A-G
➡ Inspec thesaurus - browse headings H-Q
➡ Inspec thesaurus - browse headings R-Z

- Inspec thesaurus - enter a term
- Classification codes A: Physics, 0-1
- Classification codes A: Physics, 2-3
- Classification codes A: Physics, 4-5
- Classification codes A: Physics, 6
- Classification codes A: Physics, 7
- Classification codes A: Physics, 8
- Classification codes A: Physics, 9
- Classification codes B: Electrical & Electronics, 0-5
- Classification codes B: Electrical & Electronics, 6-9
- Classification codes C: Computer & Control
- Classification codes D: Information Technology
- Classification codes E: Mech., Manufac. & Production Engineering
- Treatment codes
- Inspec sub-file
- Language of publication
- Publication types

Top - News & FAQS - Dialog

Google Scholar BETA

Scholar   Results **1 - 3** of **3** for <u>rack</u> **"Troy Shahoumian"**. (**0.08** seconds)

Tip: Try removing quotes from your search to get more results.

Resource assignment for large-scale computing utilities using mathematical programming - group of 5 »
X Zhu, C Santos, J Ward, D Beyer, S Singhal - Hewllet-Packard Labs, Tech. Rep. HPL-2003-243R1, 2003 - hpl.hp.com
... Below the root switch is a set of edge switches, and below the edge switches
is a set of **rack** switches. ... R r ∈ : Set of **rack** switches. ...
Cited by 4 - Related Articles - View as HTML - Web Search

Automatic Configuration of Services for Security, Bandwidth, Throughput, and Availability - group of 3 »
G Swart, B Aziz, S Foley, J Herbert - doc.ic.ac.uk
Page 1. Automatic Configuration of Services for Security, Bandwidth, Throughput,
and Availability Garret Swart* University College ...
Related Articles - View as HTML - Web Search

[BOOK] ICSOC 2004 Proceedings: Short Papers
S Weerawarana - 2004 - domino.research.ibm.com
Page 1. RA221 (W0411-084) November 10, 2004 Conputer Science IBM Research Report
ICSOC 2004 Proceedings - Short Papers Sanjiva Weerawarana (editor) ...
Related Articles - Web Search - Library Search

rack "Troy Shahoumian"   Search

Google Home - About Google - About Google Scholar

Google

Scholar BETA

rack "Alex Zhang" | Search

Scholar   Results **1 - 1** of **1** for <u>rack</u> **"Alex Zhang"**. **(0.07** seconds)

Tip: Try removing quotes from your search to get more results.

<u>Web transaction analysis and optimization (TAO)</u> - <u>group of 6 »</u>
PK Garg, M Hao, C Santos, HK Tang, A Zhang - Proceedings of the third international workshop on Software ...,
2002 - portal.acm.org
Page 1. Web Transaction Analysis and Optimization (TAO) Pankaj K. Garg,
Ming Hao, Cipriano Santos, Hsiu-Khuern Tang, and **Alex Zhang ...**
<u>Cited by 4</u> - <u>Related Articles</u> - <u>Web Search</u>

rack "Alex Zhang" | Search

<u>Google Home</u> - <u>About Google</u> - <u>About Google Scholar</u>

©2006 Google

Google
Scholar · BETA

rack components constraints height weight wic   **Search**

Scholar Results **1 - 9** of **9** for <u>rack</u> <u>components</u> <u>constraints</u> <u>height</u> <u>weight</u> <u>width</u> "<u>computer rack</u>". (0.14 s(

Tip: Try removing quotes from your search to get more results.

<u>A low-cost, high-density mounting system for computer clusters</u> - <u>group of 3 »</u>
JF Kolen, T Hutcheson - Cluster Computing, 2001. Proceedings. 2001 IEEE ..., 2001 - ieeexplore.ieee.org
... 2. Design **Constraints** The major design **constraints** for the tower were
many. ... Most **components** in the **rack** measured less than 30ºC. ...
<u>Related Articles</u> - <u>Web Search</u>

<u>A computer for solving integral formulations of engineering problems by methods of successive</u> <u>...</u> - <u>group of 3 »</u>
JM Ham - 1953 - dspace.mit.edu
... The computer comprises one standard relay **rack** of computing **components** and an input ...
for a physical com- plex are regarded as expressing **constraints** upon the ...
<u>Related Articles</u> - <u>View as HTML</u> - <u>Web Search</u> - <u>Library Search</u>

<u>An application for a distributed computer architecture-realtimedata processing in an</u> <u>autonomous ...</u>
R Hinkel, T Knieriemen, E von Puttkamer - Distributed Computing Systems, 1988., 8th International ..., 1988 - ieeexplore.ieee.org
... robot presents some demands and design **constraints** that must ... The empty **weight** of
MOBOT-III is approxi- mately 60 ... Figure 3: **Components** of the MOBOT-III control ...
<u>Cited by 3</u> - <u>Related Articles</u> - <u>Web Search</u>

<u>DESIGN OF AN UPGRADED ELECTRONICS CONTROL SYSTEM FOR AN ADVANCED</u> <u>LIDAR ATMOSPHERIC PROFILING SYSTEM</u> - <u>group of 2 »</u>
AD Achey - 2002 - lidar1.ee.psu.edu
... UV region of the spectrum • To the largest possible degree, use Commercial Off The
Shelf (COTS) **components** ... Deck Computer (STD32 **Rack**) CU601 Laser Controller ...
<u>Cited by 1</u> - <u>Related Articles</u> - <u>View as HTML</u> - <u>Web Search</u> - <u>Library Search</u>

<u>LOA)</u>
M CAMBRIDGE - dspace.mit.edu
... The computer comprises one standard relay **rack** of computing **components** and an input ...
for a physical com- plex are regarded as expressing **constraints** upon the ...
<u>Related Articles</u> - <u>View as HTML</u> - <u>Web Search</u>

<u>Initial SVS Integrated Technology Evaluation Flight Test Requirements and Hardware</u> <u>Architecture</u> - <u>group of 4 »</u>
SV Harrison, LJ Kramer, RE Bailey, DR Jones, SD ... - techreports.larc.nasa.gov
... of certain requirements ("shall") to reflect their actual status as recommendations
("should"), reflecting SASA resource **constraints** and INSITE ...
<u>Related Articles</u> - <u>View as HTML</u> - <u>Web Search</u>

<u>E. Church, GJ VanDalen</u> - <u>group of 3 »</u>
RA Johnson, JL Raaf, N Suwonjandee, L Bugel, JM ... - library.fnal.gov
... 4.1 Design **constraints** . ... tank, oil pumps, oil chillerheat exchange unit, and other
utility **components**. ... of the LSND electronics hut, showing the **rack** layout of ...
<u>Related Articles</u> - <u>View as HTML</u> - <u>Web Search</u>

[PS] <u>UES User's Manual</u>
S Unger, N Walton, M Pettini, J Tinbergen - Isaac Newton Group, La Palma, 1993 - ing.iac.es
... 40 3.3.3 Slit **width** : : : : : 40 ...
<u>Cited by 6</u> - <u>Related Articles</u> - <u>View as HTML</u> - <u>Web Search</u>

[BOOK] <u>Using Information and Communication Technology in Healthcare</u>
S Tyrrell - 2002 - books.google.com
... compatibility' means a modern PC is tied to some design **constraints** imposed by ... A
PC is thus an assembly of **components** from various manufacturers rather than a ...
<u>Cited by 1</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>Library Search</u>

.

| rack components constraints height | Search |

.

<u>Google Home</u> - <u>About Google</u> - <u>About Google Scholar</u>

©2006 Google

Google Scholar BETA

Scholar Results **11 - 20** of about **35** for **rack components computer rack "hard constraints "**. (**0.11** second

Instrumentation for space   **All articles** Recent articles
TD Cole, L Frank, BW Ballard, RM Henshaw - Instrumentation & Measurement
Magazine, IEEE, 1999 - ieeexplore.ieee.org
... hove strict requirements. However, space-based instruments present de sign
issues that drive tip the cost for **components**. For exam ...
Web Search

[BOOK] **Computer** Vision Systems - group of 3 »
B Schiele, G Sagerer - 2001 - books.google.com
... maturity that allows us not only to per- form research on individual methods and
system **components** but also to build fully integrated **computer** vision systems ...
Cited by 2 - Related Articles - Web Search - Library Search - BL Direct

Against Ambiguity - group of 5 »
M Stacey, C Eckert - **Computer** Supported Cooperative Work (CSCW), 2003 - Springer
... developed a conceptual design of a bicycle **rack**. ... and diagrammatic conventions as
well as **computer** support for ... sense that they both provide **components** for moves ...
Cited by 13 - Related Articles - Web Search - Library Search - BL Direct

Applying category theory to derive engineering software from encoded knowledge - group of 2
»
M Healy, K Williamson - Proceedings of the Eighth International Conference on ... - Springer
... The first [13,14] was a **computer**-aided design ... total length of wire needed to connect
the **components**. ... pieces of equipment, shelves, and **racks**, * Separation and ...
Cited by 3 - Related Articles - Web Search

Constraint Based 3D Scene Construction - group of 5 »
TJ Salzman - 2000 - collectionscanada.ca
... Thesis Supervisor: Wolfgang S tuerzlinger Graduate Programme in **Computer** Science ...
for the Degree of Master of Science Graduate Programme in **Computer** Science ...
Related Articles - Web Search - Library Search

Web-based configuration design system for product customization - group of 3 »
SK Ong, Q Lin, AYC Nee - International Journal of Production Research, 2006 - Taylor & Francis
... the whole system configuration, while the component-level features (eg bicycle colour,
style, carriage, and timing) only affect the related **components**. ... **Rack** ...
Related Articles - Web Search - BL Direct

A multi variable approach to determining the 'best' gear design
DR Houser, J Harianto, N Iyer, J Josephson, B ... - Proceedings of DETC'2000 ASME Power transmission and
gearing ..., 2000 - cis.ohio-state.edu
... SFV) architecture, shown in Fig.1 provides **computer** support for ... Three synergistic
components ... are not important enough to provide **hard constraints**, but might ...
Cited by 2 - Related Articles - View as HTML - Web Search

Process Planning for Aluminum Tubes: An Engineering-Operations Perspective - group of 2 »
A Balakrishnan, S Brown - Operations Research, 1996 - JSTOR
... of the time to load and unload **racks** of tubes ... **Computer** scientists and location theorists
have an- alyzed ... policies for systems having common **components** or with ...

Cited by 7 - Related Articles - Web Search - Library Search - BL Direct

Semantic Inference for Anaphora Resolution: Toward a Framework in Machine Translation - group of 6 »
SWK Chan, BK T'sou - Machine Translation, 1999 - Springer
... successfully identifies 86% of the pronouns in **computer** manual texts, which ... into
components. ... of the candidate referent in the absence of any **hard constraints**. ...
Cited by 3 - Related Articles - Web Search - BL Direct

Techniques and applications of production planning in electronics manufacturing systems - group of 6 »
J Smed, M Johnsson, T Johtela, O Nevalainen - staff.cs.utu.fi
... ation violates any of the **hard constraints**, and receives ... ones (eg, televisions and
computer monitors), where ... is a key factor, through-hole **components** are still ...
Cited by 6 - Related Articles - View as HTML - Web Search

◄ Goooogle ►

Result Page: **Previous** 1 2 3 4   **Next**

rack components computer rack "ha   [Search]

Google Home - About Google - About Google Scholar

Google™

Web   Images   Video^{New!}   News   Maps   more »

"computer rack designer"   [Search]   Advanced Search
Preferences

Web

Design Computer
www.Dell.com   The Dell Home XPS experience. Performance by
Design. Details here

Server and Computer Racks
www.techrack.com   Computer Racks & Cabinets. Quality, delivery
& discount prices

Sponsored Links

Your search - **"computer rack designer"** - did not match
any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.

Sponsored Links

Rackmount Computer
Replace Rackmount Or Blade Systems
w/Modular Sun Solution. Get Specs.
www.Sun.com

Rackmount Computer
Customize 1U, 2U, 4U, 5U PCs Online
From $399, In-Stock, Shop Online!
www.superlogics.com

Computer Rack
Barebone Configurations Designed
for Easy Integration based on AMD64
www.AMD.com/VSP

Adjustable Computer Racks
Many Sizes & Colors, Made In USA
Lifetime Warranty & Free Shipping
www.versatables.com

Computer Rack
Open Frame Racks, Enclosures &
More for Enterprise Data Centers.
www.apc.com

Network Rack Modelling
Visual Rack Design and Analysis
Model Network Changes Risk-Free
www.Rackwise.com

Middle Atlantic Products
Racks & Cabinets, sliding racks,
wallmounts, slim5, drawers, shelves
www.milestek.com

Rackmount Cases
1U, 2U, 3U, 4U, and 6U cases
for optimal cooling and space.
www.gtweb.net

More Sponsored Links »

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

	U	1	Document ID	Issue Date	Pages
1			US 6577498 B1	20030610	8
2			US 6577498 B	20030610	8

	Title	Current OR	Current XRef
1	Fully integrated computer racking system	361/683	312/223.1
2	Integrated computer rack mount system has raceway apparatus coupled to back plane of each shelf, allows computer in each shelf to connect with power and network interfaces		

	Retrieval Classif	Inventor	S	C	P	2	3	4
1		Land; David et al.	X					
2		HILL, J B et al.	X					

	5	Image Doc. Displayed	PT
1		US 6577498	
2		US 6577498	

Google Scholar BETA

| "computer cabinet design" | Search |

Tip: Try removing quotes from your search to get more results.

Your search - **"computer cabinet design"** - did not match any articles.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try your query on the entire web.

Google Home - About Google - About Google Scholar

©2006 Google

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	26	(computer adj rack) same design	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 11:03
2	BRS	L2	141	(computer adj rack) same components	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 10:28
3	BRS	L3	5	(computer adj rack) and (first adj components) and (second adj components)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 10:31
4	BRS	L4	5	(computer adj rack) same (cad or cam)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 10:40
5	BRS	L5	0	(computer adj rack) same automated	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 10:40

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	26	(computer adj rack) and (rack same automated)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 10:43
7	BRS	L7	2	"6577498".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 10:46
8	BRS	L8	850	703/1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 10:47
9	BRS	L9	121	(computer adj cabinet) same design	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 11:09
10	BRS	L10	0	(computer adj cabinet same CAD)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 11:10

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L11	11	(cad or cam) and ((hard and soft) adj constrain$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 11:12
12	BRS	L12	1	((hard and soft) adj constrain$3) and (first adj component$2) and (second adj component$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 11:13
13	BRS	L13	1463	(rack or cabinet) and (first adj component) and (second adj component)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 11:14
14	BRS	L14	10	(rack or cabinet) and (first adj component) and (second adj component) and (height same weight same length)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 11:16
15	BRS	L15	0	(rack or cabinet) and (first adj component) and (second adj component) and (height same weight same length) and contraint$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 11:16

	Type	L #	Hits	Search Text	DBs	Time Stamp
16	BRS	L16	98	(first adj component) and (second adj component) and (height same weight same length)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 11:27
17	BRS	L19	116	(relaxation adj constraint)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 11:27
18	BRS	L20	2	(relaxation adj constraint) and (first adj component) and (second adj component)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 11:28
19	BRS	L21	159	(rack adj height) and (components same rack)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 11:29
20	BRS	L22	64	(rack adj height) and (components same rack) and (rack same computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 11:29

	Type	L #	Hits	Search Text	DBs	Time Stamp
21	BRS	L23	1	(rack adj height) and (components same rack) and (computer adj computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 11:29
22	BRS	L24	72	(rack adj height) and (components same rack) and (computer same computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 11:30
23	BRS	L25	0	(rack adj height) and (components same rack) and (computer same computer) and (rack same height same weight same length)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 11:30
24	BRS	L26	0	(rack adj height) and (components same rack) and (computer same computer) and (height same weight same length)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 11:30
25	BRS	L27	8	(rack adj height) and (components same rack) and (computer same computer) and (height same weight same rack)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 11:32

	Type	L #	Hits	Search Text	DBs	Time Stamp
26	BRS	L28	751	211/26.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 11:32

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L50	479	(mixed adj integer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 14:27
2	BRS	L51	20	(mixed adj integer) and (hard adj constraint$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 14:27
3	BRS	L52	10	(mixed adj integer) and (hard adj constraint$2) and (soft adj constraint$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/27 14:27